BlueCross BlueShield of Arizona
An Independent Licensee of the Blue Cross and Blue Shield Association

MEDICAL COVERAGE GUIDELINES
SECTION: VISION

ORIGINAL EFFECTIVE DATE: 07/31/18
LAST REVIEW DATE:
LAST CRITERIA REVISION DATE:
ARCHIVE DATE:

AQUEOUS SHUNTS AND STENTS FOR THE TREATMENT OF GLAUCOMA

Non-Discrimination Statement and Multi-Language Interpreter Services information are located at the end of this document.

Coverage for services, procedures, medical devices and drugs are dependent upon benefit eligibility as outlined in the member's specific benefit plan. This Medical Coverage Guideline must be read in its entirety to determine coverage eligibility, if any.

This Medical Coverage Guideline provides information related to coverage determinations only and does not imply that a service or treatment is clinically appropriate or inappropriate. The provider and the member are responsible for all decisions regarding the appropriateness of care. Providers should provide BCBSAZ complete medical rationale when requesting any exceptions to these guidelines.

The section identified as "Description" defines or describes a service, procedure, medical device or drug and is in no way intended as a statement of medical necessity and/or coverage.

The section identified as "Criteria" defines criteria to determine whether a service, procedure, medical device or drug is considered medically necessary or experimental or investigational.

State or federal mandates, e.g., FEP program, may dictate that any drug, device or biological product approved by the U.S. Food and Drug Administration (FDA) may not be considered experimental or investigational and thus the drug, device or biological product may be assessed only on the basis of medical necessity.

Medical Coverage Guidelines are subject to change as new information becomes available.

For purposes of this Medical Coverage Guideline, the terms "experimental" and "investigational" are considered to be interchangeable.

Description:

Glaucoma surgery is intended to reduce intraocular pressure (IOP) when the target IOP cannot be reached with medications. Due to complications with established surgical approaches such as trabeculectomy, a variety of devices, including aqueous shunts, are being evaluated as alternative surgical treatments for patients with inadequately controlled glaucoma. Micro-stents are also being investigated in individuals with mild to moderate open-angle glaucoma currently treated with ocular hypotensive medication.

AQUEOUS SHUNTS AND STENTS FOR THE TREATMENT OF GLAUCOMA (cont.)

Description: (cont.)

Devices include:

Device	Type	FDA-Approved
Ahmed™	Aqueous glaucoma shunt, ab externo	Yes
Baerveldt®	Aqueous glaucoma shunt, ab externo	Yes
Krupin	Aqueous glaucoma shunt, ab externo	Yes
Molteno®	Aqueous glaucoma shunt, ab externo	Yes
Ex-Press®	Mini glaucoma shunt, ab externo	Yes
XEN-Gel-Stent	Aqueous glaucoma shunt, ab interno	Yes
Aquaflow™	Drainage device	Yes
Cypass®	Suprachoroidal stent, ab interno	Yes
Hydrus™	Microstent, ab interno	No
iStent®	Microstent, ab interno	Yes
SOLX® Gold	Micro-shunt, ab externo	No
iStent inject®	Suprachroidal stent	No
iStent supra®	Suprachroidal stent	No

Criteria:

For ophthalmologic techniques for evaluating glaucoma, see BCBSAZ Medical Coverage Guideline #O697, *"Ophthalmologic Techniques That Evaluate the Posterior Segment for Glaucoma"*.

For viscocanalostomy and canaloplasty, see BCBSAZ Medical Coverage Guideline #O823, *"Viscocanalostomy and Canaloplasty"*.

- Insertion of FDA-approved ab externo aqueous shunts is considered ***medically necessary*** to reduce intraocular pressure for an individual with glaucoma when medical treatments have failed to adequately control intraocular pressure.

- Insertion of FDA-approved ab interno aqueous stent to reduce intraocular pressure for an individual with glaucoma when medical treatments have failed to adequately control intraocular pressure is considered ***experimental or investigational*** based upon.

  1. Insufficient scientific evidence to permit conclusions concerning the effect on health outcomes, and
  2. Insufficient evidence to support improvement of the net health outcome, and
  3. Insufficient evidence to support improvement of the net health outcome as much as, or more than, established alternatives, and
  4. Insufficient evidence to support improvement outside the investigational setting.

AQUEOUS SHUNTS AND STENTS FOR THE TREATMENT OF GLAUCOMA (cont.)

Criteria: (cont.)

- Use of an ab externo aqueous shunts or ab interno aqueous stent for all other indications not previously listed or if above criteria not met, is considered ***experimental or investigational*** based upon:

  1. Insufficient scientific evidence to permit conclusions concerning the effect on health outcomes, and
  2. Insufficient evidence to support improvement of the net health outcome, and
  3. Insufficient evidence to support improvement of the net health outcome as much as, or more than, established alternatives, and
  4. Insufficient evidence to support improvement outside the investigational setting.

  These indications include, *but are not limited to:*

  - Glaucoma adequately controlled by medications

- Implantation of a single FDA-approved micro-stent in conjunction with cataract surgery in an individual with mild to moderate open-angle glaucoma treated with ocular hypotensive medication is considered ***medically necessary***.

- Implantation of a micro-stent for all other indications not previously listed or if above criteria not met is considered ***experimental or investigational*** based upon:

  1. Insufficient scientific evidence to permit conclusions concerning the effect on health outcomes, and
  2. Insufficient evidence to support improvement of the net health outcome, and
  3. Insufficient evidence to support improvement of the net health outcome as much as, or more than, established alternatives, and
  4. Insufficient evidence to support improvement outside the investigational setting.

Resources:

Literature reviewed 07/31/18. We do not include marketing materials, poster boards and non-published literature in our review.

The BCBS Association Medical Policy Reference Manual (MPRM) policy is included in our guideline review. References cited in the MPRM policy are not duplicated on this guideline.

Resources prior to 11/26/13 may be requested from the BCBSAZ Medical Policy and Technology Research Department.

1. 9.03.21 BCBS Association Medical Policy Reference Manual. Aqueous Shunts and Stents for Glaucoma. Re-issue date 05/04/2018, issue date 07/10/2008.

AQUEOUS SHUNTS AND STENTS FOR THE TREATMENT OF GLAUCOMA (cont.)

Non-Discrimination Statement:

Blue Cross Blue Shield of Arizona (BCBSAZ) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. BCBSAZ provides appropriate free aids and services, such as qualified interpreters and written information in other formats, to people with disabilities to communicate effectively with us. BCBSAZ also provides free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages. If you need these services, call (602) 864-4884 for Spanish and (877) 475-4799 for all other languages and other aids and services.

If you believe that BCBSAZ has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file a grievance with: BCBSAZ's Civil Rights Coordinator, Attn: Civil Rights Coordinator, Blue Cross Blue Shield of Arizona, P.O. Box 13466, Phoenix, AZ 85002-3466, (602) 864-2288, TTY/TDD (602) 864-4823, crc@azblue.com. You can file a grievance in person or by mail or email. If you need help filing a grievance BCBSAZ's Civil Rights Coordinator is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, 1–800–368–1019, 800–537–7697 (TDD). Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html

Multi-Language Interpreter Services:

Spanish: Si usted, o alguien a quien usted está ayudando, tiene preguntas acerca de Blue Cross Blue Shield of Arizona, tiene derecho a obtener ayuda e información en su idioma sin costo alguno. Para hablar con un intérprete, llame al 602-864-4884.

Navajo: Díí kwe'é atah nílínigíí Blue Cross Blue Shield of Arizona haada yit'éego bína'ídíłkidgo éí doodago Háida bíjá anilyeedígíí t'áadoo le'é yína'ídíłkidgo beehaz'áanii hóló díí t'áá hazaadk'ehjí háká a'doowołgo bee haz'ą doo bąąh ílínígóó. Ata' halne'ígíí kojį' bich'į' hodíilnih 877-475-4799.

Chinese: 如果您，或是您正在協助的對象，有關於插入項目的名稱 Blue Cross Blue Shield of Arizona 方面的問題，您有權利免費以您的母語得到幫助和訊息。洽詢一位翻譯員，請撥電話 在此插入數字 877-475-4799。

Vietnamese: Nếu quý vị, hay người mà quý vị đang giúp đỡ, có câu hỏi về Blue Cross Blue Shield of Arizona quý vị sẽ có quyền được giúp và có thêm thông tin bằng ngôn ngữ của mình miễn phí. Để nói chuyện với một thông dịch viên, xin gọi 877-475-4799.

Arabic:
إن كان لديك أو لدى شخص تساعده أسئلة بخصوص Blue Cross Blue Shield of Arizona، فلديك الحق في الحصول على المساعدة والمعلومات الضرورية بلغتك من دون اية تكلفة. للتحدث مع مترجم اتصل ب 877-475-4799.

AQUEOUS SHUNTS AND STENTS FOR THE TREATMENT OF GLAUCOMA (cont.)

Multi-Language Interpreter Services: (cont.)

Tagalog: Kung ikaw, o ang iyong tinutulangan, ay may mga katanungan tungkol sa Blue Cross Blue Shield of Arizona, may karapatan ka na makakuha ng tulong at impormasyon sa iyong wika ng walang gastos. Upang makausap ang isang tagasalin, tumawag sa 877-475-4799.

Korean: 만약 귀하 또는 귀하가 돕고 있는 어떤 사람이 Blue Cross Blue Shield of Arizona 에 관해서 질문이 있다면 귀하는 그러한 도움과 정보를 귀하의 언어로 비용 부담없이 얻을 수 있는 권리가 있습니다. 그렇게 통역사와 얘기하기 위해서는 877-475-4799 로 전화하십시오.

French: Si vous, ou quelqu'un que vous êtes en train d'aider, a des questions à propos de Blue Cross Blue Shield of Arizona, vous avez le droit d'obtenir de l'aide et l'information dans votre langue à aucun coût. Pour parler à un interprète, appelez 877-475-4799.

German: Falls Sie oder jemand, dem Sie helfen, Fragen zum Blue Cross Blue Shield of Arizona haben, haben Sie das Recht, kostenlose Hilfe und Informationen in Ihrer Sprache zu erhalten. Um mit einem Dolmetscher zu sprechen, rufen Sie bitte die Nummer 877-475-4799 an.

Russian: Если у вас или лица, которому вы помогаете, имеются вопросы по поводу Blue Cross Blue Shield of Arizona, то вы имеете право на бесплатное получение помощи и информации на вашем языке. Для разговора с переводчиком позвоните по телефону 877-475-4799.

Japanese: ご本人様、またはお客様の身の回りの方でも、Blue Cross Blue Shield of Arizona についてご質問がございましたら、ご希望の言語でサポートを受けたり、情報を入手したりすることができます。料金はかかりません。通訳とお話される場合、877-475-4799 までお電話ください。

Farsi:
اگر شما، یا کسی که شما به او کمک میکنید ، سوال در مورد Blue Cross Blue Shield of Arizona ، داشته باشید حق این را دارید که کمک و
اطلاعات به زبان خود را به طور رایگان دریافت نمایید 877-475-4799
[تماس حاصل نمایید.

Assyrian:
[illegible] Blue Cross Blue Shield of Arizona [illegible]
[illegible] 877-475-4799.

Serbo-Croatian: Ukoliko Vi ili neko kome Vi pomažete ima pitanje o Blue Cross Blue Shield of Arizona, imate pravo da besplatno dobijete pomoć i informacije na Vašem jeziku. Da biste razgovarali sa prevodiocem, nazovite 877-475-4799.

Thai: หากคณ หรอคนทคณกาลงชวยเหลอมคาถามเกยวกบ Blue Cross Blue Shield of Arizona
คณมสทธทจะไดรบความชวยเหลอและขอมลในภาษา ของคณไดโดยไมมคาใชจาย พดคยกบลาม โทร 877-475-4799