



PHARMACY COVERAGE GUIDELINES  
SECTION: DRUGS

ORIGINAL EFFECTIVE DATE: 8/15/19  
LAST REVIEW DATE: 8/15/19  
LAST CRITERIA REVISION DATE:  
ARCHIVE DATE:

---

## PIQRAY® (alpelisib) oral tablet

---

Coverage for services, procedures, medical devices and drugs are dependent upon benefit eligibility as outlined in the member's specific benefit plan. This Pharmacy Coverage Guideline must be read in its entirety to determine coverage eligibility, if any.

This Pharmacy Coverage Guideline provides information related to coverage determinations only and does not imply that a service or treatment is clinically appropriate or inappropriate. The provider and the member are responsible for all decisions regarding the appropriateness of care. Providers should provide BCBSAZ complete medical rationale when requesting any exceptions to these guidelines.

The section identified as "Description" defines or describes a service, procedure, medical device or drug and is in no way intended as a statement of medical necessity and/or coverage.

The section identified as "Criteria" defines criteria to determine whether a service, procedure, medical device or drug is considered medically necessary or experimental or investigational.

State or federal mandates, e.g., FEP program, may dictate that any drug, device or biological product approved by the U.S. Food and Drug Administration (FDA) may not be considered experimental or investigational and thus the drug, device or biological product may be assessed only on the basis of medical necessity.

Pharmacy Coverage Guidelines are subject to change as new information becomes available.

For purposes of this Pharmacy Coverage Guideline, the terms "experimental" and "investigational" are considered to be interchangeable.

**BLUE CROSS®, BLUE SHIELD® and the Cross and Shield Symbols are registered service marks of the Blue Cross and Blue Shield Association, an association of independent Blue Cross and Blue Shield Plans. All other trademarks and service marks contained in this guideline are the property of their respective owners, which are not affiliated with BCBSAZ.**

---

This Pharmacy Coverage Guideline does not apply to FEP or other states' Blues Plans.

Information about medications that require precertification is available at [www.azblue.com/pharmacy](http://www.azblue.com/pharmacy).

Some large (100+) benefit plan groups may customize certain benefits, including adding or deleting precertification requirements.

All applicable benefit plan provisions apply, e.g., waiting periods, limitations, exclusions, waivers and benefit maximums.

Precertification for medication(s) or product(s) indicated in this guideline requires completion of the [request form](#) in its entirety with the chart notes as documentation. **All requested data must be provided.** Once completed the form must be signed by the prescribing provider and faxed back to BCBSAZ Pharmacy Management at (602) 864-3126 or emailed to [Pharmacyprecert@azblue.com](mailto:Pharmacyprecert@azblue.com). **Incomplete forms or forms without the chart notes will be returned.**

---

## PIQRAY® (alpelisib) oral tablet

---

### Criteria:

- **Criteria for initial therapy:** Piqray (alpelisib) is considered *medically necessary* and will be approved when **ALL** of the following criteria are met:
1. Prescriber is a physician specializing in cancer or is in consultation with an Oncologist
  2. Individual is 18 years of age or older
  3. A confirmed diagnosis of **ONE** of the following:
    - Advanced or metastatic breast cancer in postmenopausal woman or man with following:
      - Hormone receptor (HR)-positive
      - Human epidermal growth factor receptor 2 (HER2)-negative
      - PIK3CA- mutated
      - Used in combination with fulvestrant
      - Used following progression on or after an endocrine based regimen
    - Other request for a specific oncologic direct treatment use that is found and listed in the National Comprehensive Cancer Network (NCCN) Guidelines with Categories of Evidence and Consensus of 1 and 2A
  4. **ALL** of the following baseline tests have been completed before initiation of treatment with continued monitoring as clinically appropriate:
    - Fasting plasma glucose
    - Hemoglobin A1c
    - Negative pregnancy test in a woman of child bearing potential
  5. Individual does not have a history of Stevens-Johnson syndrome, erythema multiforme, or toxic epidermal necrolysis
  6. There are **NO** contraindications
    - Contraindications include:
      - Severe hypersensitivity to alpelisib or any components of the product

**Initial approval duration:** 6 months

- **Criteria for continuation of coverage (renewal request):** Piqray (alpelisib) is considered *medically necessary* and will be approved when **ALL** of the following criteria are met:
1. Individual continues to be seen by a physician specializing in cancer or is in consultation with an Oncologist
  2. Individual's condition responded while on therapy
    - Response is defined as:
      - No evidence of disease progression



PHARMACY COVERAGE GUIDELINES  
SECTION: DRUGS

ORIGINAL EFFECTIVE DATE: 8/15/19  
LAST REVIEW DATE: 8/15/19  
LAST CRITERIA REVISION DATE:  
ARCHIVE DATE:

---

## PIQRAY® (alpelisib) oral tablet

---

- Documented evidence of efficacy, disease stability and/or improvement
3. Individual has been adherent with the medication
  4. Individual has not developed any contraindications or other significant level 4 adverse drug effects that may exclude continued use
    - Contraindications as listed in the criteria for initial therapy section
    - Significant adverse effect such as:
      - Severe hypersensitivity
      - Stevens-Johnson syndrome
      - Erythema multiforme
      - Toxic epidermal necrolysis
      - Severe hyperglycemia, despite treatment
      - Ketoacidosis
      - Pneumonitis/Interstitial lung disease
      - Severe diarrhea, despite anti-diarrheal agents
  5. There are no significant interacting drugs

**Renewal duration:** 12 months

---

### **Description:**

Piqray (alpelisib) is indicated in combination with fulvestrant for the treatment of postmenopausal women, and men, with hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative, PIK3CA-mutated, advanced or metastatic breast cancer as detected by an FDA-approved test, following progression on or after an endocrine-based regimen.

In breast cancer cell lines, alpelisib inhibited phosphorylation of phosphatidylinositol-3-kinase (PI3K). It has inhibitory activity predominantly against PI3K $\alpha$  and showed activity in cell lines harboring a PIK3CA mutation. PI3K inhibition by alpelisib treatment has been shown to induce an increase in estrogen receptor (ER) transcription in breast cancer cells.

---

### **Resources:**

Piqray (alpelisib) product information accessed 06-28-19 at DailyMed

Off Label Use of Cancer Medications: A.R.S. §§ 20-826(R) & (S). Subscription contracts; definitions.

Off Label Use of Cancer Medications: A.R.S. §§ 20-1057(V) & (W). Evidence of coverage by health care service organizations; renewability; definitions.